## **Custom Chlorination Recirc Pump Skids**

CLEAN WATER

www.cleanwaterstore.com Clean Water Made Easy.

Our hypo-chlorination pump and tank skids are the best way to achieve accurate chlorine residuals with the least amount of maintenance.

Automatically recirculates water in storage tanks and distribution systems and monitors chlorine residuals.

Full automatic monitoring and chlorine injection maintains a perfect chlorine residual and logs data.

## **Features**

- Heavy-duty pre-wired skid mounted package with carbon steel 2 coat epoxy paint.
- Use as a in-line automatic chlorination system or as a recirculation system for automatic chlorine residual maintenance.
- Heavy-duty LMI metering pumps Signet sensors, and other options available based on application.
- Stainless steel pump with viton seals circulates water in storage tanks and distribution systems if needed.
- Flow rates from 5 to 200 GPM
- Suitable for line pressures up to 110 PSI
- 3.5" color touch screen controller, based on flow and chlorine reading sends proportional 4-20Ma signal to metering pump.
- Built-in repeat cycle timer controls optional recirculation
- Dual containment chlorine solution tank 35 gallon.
- Optional data logger and network interface maintains residual log and transmits data to network.
- Inject sodium hypochlorite, hydrogen peroxide, sodium hydroxide for pH adjustment and other chemicals as















