


1. Product and Company Identification

Product Name Pro Pot Perm
CAS # 7722-64-7
Product use Regeneration of greensand iron filters
Manufacturer Pro Products LLC
 7201 Engle Road
 Fort Wayne, IN 46804-5875 US
 Phone 260-483-2519
 Emergency Phone: 1-800-424-9300 (CHEMTREC)

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 2
Flammability	0
Physical Hazard	1
Personal Protection	X



2. Hazards Identification

Emergency overview DANGER
 MAY CAUSE EYE BURNS. MAY CAUSE SKIN BURNS.
 OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause chemical burns. May cause blindness.

Skin May cause chemical burns.

Inhalation Inhalation of dusts may cause respiratory irritation.

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Target organs Skin. Eyes. Respiratory system.

Chronic effects Long-term inhalation of dust concentrations higher than recommended permissible exposure limits may cause delayed lung injury. Prolonged or repeated exposure may lead to liver or kidney damage or central nervous system effects.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects See section 12.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Potassium permanganate	7722-64-7	60 - 100

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Brush away excess of dry material. Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion

Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Not flammable by WHMIS/OSHA criteria.

Extinguishing media**Suitable extinguishing media**

Water.

Unsuitable extinguishing media

Not available

Protection of firefighters**Specific hazards arising from the chemical**

Container may explode in heat of fire. May decompose spontaneously if exposed to temperatures above 150°C. Increases flammability of combustible materials. Decomposition releases oxygen which may intensify fire.

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of manganese. Oxygen.

Explosion data**Sensitivity to mechanical impact**

Not available

Sensitivity to static discharge

Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment. Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Large Spills: Wet down with water and dike for later disposal. After removal flush contaminated area thoroughly with water.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material.
DO NOT get in eyes.
DO NOT get on skin.
Keep from contact with clothing and other combustible materials.
Avoid dust formation.
Use only with adequate ventilation.
Avoid breathing dust.
Wash thoroughly after handling.

Storage

Keep out of reach of children.
Keep away from heat, open flames or other sources of ignition.
Protect from sunlight.
Store in a cool, dry, well-ventilated place away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Potassium permanganate	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls Use only under good ventilation conditions or with respiratory protection. Local exhaust recommended.

Personal protective equipment

Eye / face protection	Chemical splash goggles.
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	As required by employer code. Rubber apron recommended.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Crystals
Color	Dark Metallic Purple
Form	Solid.
Odor	Odorless
Odor threshold	Not available
Physical state	Solid
pH	Not available
Melting point	Not available
Freezing point	Not applicable
Boiling point	Not applicable
Pour point	Not available
Evaporation rate	Not applicable
Flash point	None
Auto-ignition temperature	Not applicable
Flammability limits in air, lower, % by volume	Not applicable
Flammability limits in air, upper, % by volume	Not applicable
Vapor pressure	Not applicable
Vapor density	Not applicable
Specific gravity	2.7
Octanol/water coefficient	Not available
Solubility (H2O)	Partially soluble
Viscosity	Not applicable
Percent volatile	0

10. Stability and Reactivity

Reactivity	May react with organic materials, reducing agents, strong acids and oxidizers.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable, however, may decompose if heated.
Conditions to avoid	Heat, open flames, static discharge, sparks and other ignition sources. Do not mix with other chemicals.
Incompatible materials	Organic materials. Reducing agents. Acids. Oxidizers. Metals. Combustible materials. Hydrogen peroxide.

Hazardous decomposition products May include and are not limited to: Oxides of manganese. Oxygen.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Potassium permanganate	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Potassium permanganate	1090 mg/kg rat

Effects of acute exposure

Eye	May cause chemical burns. May cause blindness.
Skin	May cause chemical burns.
Inhalation	Inhalation of dusts may cause respiratory irritation.
Ingestion	Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Not classified or listed by IARC, NTP, OSHA and ACGIH.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	
Potassium permanganate	7722-64-7 96 Hr LC50 Carassius auratus: 3.3-3.93 mg/L [static]; 96 Hr LC50 Cyprinus carpio: 2.97-3.11 mg/L; 96 Hr LC50 Cyprinus carpio: 3.16-3.77 mg/L; 96 Hr LC50 Lepomis macrochirus: 2.3 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 1.8-5.6 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 2.7 mg/L; 96 Hr LC50 Oncorhynchus mykiss: 1.08-1.38 mg/L; 96 Hr LC50 Oncorhynchus mykiss: 0.769-1.27 mg/L [static]
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Mobility in environmental media	Not available
Environmental effects	Harmful to aquatic life.
Aquatic toxicity	Not available
Partition coefficient	Not available
Chemical fate information	Not available
Other adverse effects	Not available

13. Disposal Considerations

Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

Proper shipping name	Potassium permanganate
Hazard class	5.1
UN number	UN1490
Packing group	II
Additional information:	
Special provisions	IB8, IP2, IP4, T3, TP33
Packaging exceptions	152
ERG number	140



Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

Proper shipping name	POTASSIUM PERMANGANATE
Hazard class	5.1
UN number	UN1490
Packing group	II



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Potassium permanganate	7722-64-7	1 %
------------------------	-----------	-----

WHMIS status

Controlled

WHMIS classification

Class C - Oxidizing Material, Class E - Corrosive Material

WHMIS labeling



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical	Yes
-------------------------------------	-----

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Potassium permanganate	7722-64-7	100 Lb final RQ; 45.4 kg final RQ
------------------------	-----------	-----------------------------------

CERCLA (Superfund) reportable quantity

Potassium permanganate: 100.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - Yes

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Water Act (CWA) Hazardous substance

State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Potassium permanganate 7722-64-7 Present

U.S. - Louisiana - Reportable Quantity List for Pollutants

Potassium permanganate 7722-64-7 100 Lb final RQ; 45.4 kg final RQ

U.S. - Massachusetts - Right To Know List

Potassium permanganate 7722-64-7 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Potassium permanganate 7722-64-7 sn 1578

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Potassium permanganate 7722-64-7 100 Lb RQ (air); 100 lb RQ (land/water)

U.S. - Pennsylvania - RTK (Right to Know) List

Potassium permanganate 7722-64-7 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Potassium permanganate 7722-64-7 Flammable

Inventory name

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date 08-Apr-2013

Effective date 01-Apr-2013

Expiry date 01-Apr-2016

Prepared by Dell Tech Laboratories Ltd. (519) 858-5021

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.